

Report of analysis



General Chemical Lab of Research and analysis

Pasiar-Raptopoulou

Timfristou str. 181, Lamia - Tel : +30 2231 2231 99

e-mail: info@pasiaslab.gr site: www.pasiaslab.gr

Report ID: 14122017_01_02EN

Date of report: 27/12/2017

Customers ID:	Lamprou Paraskevas	Contact:	Livanates Fthiotida
Sampling:	by lab	Sample received by:	lab
Receipt date:	14/12/2017	Kind/Condition of sample:	Table olives in brine solution/Normal
Analysis started at :	14/12/2017	Analysis finished on :	27/12/2017
Sample ID:	14122017_01	Mark upon the sample:	Table olives in brine solution (Olivanates)

Results of analysis				
Parameters	Results	Units	Regulation limits	Method of analysis
Cadmium	<0.02	mg/kg	0.05	ICP-MS
Lead	<0.02	mg/kg	0.1	ICP-MS
Pesticides	<0.003	mg/kg	EU MRL Database	GC-MS/MS and LC-MS/MS

Conclusion: The current sample was in accordance with the European Regulation 1881/2006 and the MRL Pesticide Database.

The QC Manager
Dr. Pasiar Ioannis

The Lab Manager
MSc. Kalomoira Raptopoulou

The reprint of the report analysis is forbidden.

The parameters were determined by an accredited laboratory, under the requirements of ISO 17025.

Report of analysis



General Chemical Lab of Research and analysis

Pasias-Raptopoulou

Timfristou str. 181, Lamia - Tel : +30 2231 2231 99

e-mail: info@pasiaslab.gr site: www.pasiaslab.gr

Report ID: 14122017_01_02EN

Date of report: 27/12/2017

None of the pesticides below was detected higher than LOD=0.003 mg/kg.

Method GC-MS/MS

Acetochlor, Acrinathrin (Αθροισμα των ισομερών), Aldrin, Atrazine, Azinphos Ethyl, Azinphos Methyl, Benalaxyl, Benfluralin, Bifenox, Bifenthrin, Biphenyl, Bitertanol, Bromocyclen, Bromophos Ethyl, Bromophos Methyl, Bromopropylate, Bromuconazole (Αθροισμα των ισομερών), Buprofezin, Butafenacil, Cadusafos, Captafol, Captan, Carbaryl, Carbophenothion, Carbosulfan, Chlordane alpha (cis), Chlordane gamma (trans), Chlorfenapyr, Chlorfenson, Chlorfenviphos (Αθροισμα των ισομερών), Chlorobenzilate, Chloropropylate, Chlorothalonil, Chlorpyrifos Ethyl, Chlorpyrifos Methyl, Chlorthalidimethyl /DCPA, Chlorthion Methyl, Clodinafoppropargyl, Cloquintocet mexyl, Coumaphos, Cyfluthrin (Αθροισμα των ισομερών), Cyhalothrin lambda, Cypermethrin (Αθροισμα των ισομερών), Cyproconazo, Cyprodinil, DDDo, DDDp, DDEo, DDEo, DDEp, DDTo, DDTp, Deltamethrin, Diazinon, Dichlobenil, Dichlofenthion, Dichlofluanid, Dichloran, Dichlorvos(#), Diclobutrazol, Dicofol, Dieldrin, Difenconazole (Αθροισμα των ισομερών), Diflufenican, Dimethenamid, Dimethoate, Diniconazol, Diphenamid, Endosulfan alpha, Endosulfan beta, Endosulfan lactone, Endosulfan sulfate, Endrin, Epoxiconazole, Esfenvalerate, Etaconazol (Αθροισμα των ισομερών), Ethalfuralin, Ethion, Ethoprophos, Etridiazol, Etrifmos, Famphur, Fenamiphos, Fenarimol, Fenazaquin, Fenbuconazol, Fenchlorphos, Fenitrothion, Fenoxycarb, Fenproparthrin, Fenpropidin, Fenpropimorph, Fenson, Fenvalerate (Αθροισμα των ισομερών), FluzifopPbutyl, Fluchloralin, Flucythrinate (Αθροισμα των ισομερών), Fludioxonil, Flufenoxuron, Fluquinconazole, Flusilazole, Fluvalinatetau (Αθροισμα των ισομερών), Folpet, Furalaxyl(#), HCH alpha, HCH beta, HCH delta, HCH gamma, Heptachlor, Heptachlor Epoxide A, Heptachlor Epoxide B, Hexachlorobenzene, Hexaconazole, Iodofenphos, Iprobenphos, Iprodione, Isazophos, Isodrin, Isofenphos, Isofenphos Methyl, Leptophos, Malathion, Mepronil, Metazachlor, Methacrifos, Methidathion, Methoxychlor (Αθροισμα των ισομερών), Metolachlor, Metribuzin(#), Mirex, Myclobutanil, Nitrapyrin, Nitrofen, Nitrothal isopropyl, Nuairimol, ophenylphenol, Oxadiazon, Oxyfluorfen, Paclobutrazol, Parathion Ethyl, Parathion Methyl, Penconazole, Pendimethalin, Pentachloroanisole, Permethrin (Αθροισμα των ισομερών), Perthan, Phenothrin (Αθροισμα των ισομερών), Phenthoate, Phorate(#), Phosalone, Phosmet, Picolinafen, Piperonyl butoxide (PBO), Pirimiphos Ethyl, Pirimiphos Methyl, Procymidone, Profenofos, Prometryn, Propargite, Propazine, Propham, Propyzamide, Prothiofos, Pyridaben, Pyridoxifen, Pyrimethanil, Pyriproxyfen, Quinalphos, Quinoxifen, Quintozene, Resmethrin (Αθροισμα των ισομερών), S421, Simazine, Spirodiclofen, Tebuconazole, Tecnazene, Tefluthrin, Terbutylazine, Tetrachlorvinphos, Tetraconazole, Tetradifon, Tetramethrin (Αθροισμα των ισομερών), Tetrasul, Thiobencarb, Tolclofos Methyl, Tolyfluanid, Transfluthrin, Triadimefon, Triazophos, Trichloronate, Trifluralin, Triticonazole, Uniconazole, Vinclozolin.

None of the pesticides below was detected higher than LOD=0.003 mg/kg.

Method LC-MS/MS

2.3.5Trimethacarb/3.4.5Trimethacarb, Acetamiprid, Alaclor, Aldicarb, Ametoctradin, Ametryn, Atrazine, Avermectin B1A, Azaconazole, Azamethiphos, Azinphos Ethyl, Azinphos Methyl, Azoxystrobin, Beflubutamid, Bensulfuron Methyl, Boscalid, Bromacil, Bromuconazole (Αθροισμα ισομερών), Bupirimate, Captafol, Carbaryl, Carbendazim, Carbofuran, Carbofuran3hydroxy, Carpropamid, Chlorantraniliprole, Chloridazon, Chloroxuron, Chlortoluron, Clomazone, Clothianidin, Crimidine, Cyanazine, Cyprodinil, DemetonSmethyl, Desmedipham, Desmethylformamidopirimicarb, Desmethylpirimicarb, Desmetryn, Diazinon, Dichlorfenthion, Diclobutrazol, Dicrotophos, Diethofencarb, Difenconazol (Αθροισμα ισομερών), Diflufenican, Dimethenamid, Dimethoate, Dimethomorph (Αθροισμα ισομερών), Dimoxystrobin, Diphenylamine, Diuron, DMST, Dodine, Epoxiconazol, Etaconazole, Ethiprole, Ethofumesate, Famphur, Fenamiphos, Fenamiphos sulfone, FenamiphosSulfoxide, Fenbuconazole, Fenthion oxon, Fenthion sulfone, Fenthion sulfoxide, Flubendiamide, Fludioxinil, Flufenacet, Fluometuron, Fluoxastrobin, Fluqiconazole, Flutolanil, Flutriafol, Fosthiazate, Fuberidazole, Halofenozide, Hexaconazole, Hexazinone, Hexythiazox, Imazamethabenz Methyl, Imidachloprid, Indoxacarb, Iprovalicarb (Αθροισμα ισομερών), Isazofos, Isoproturon, Isoxaflutole, Isoxathion, Kresoxim Methyl, Lenacil, Malaaxon, Malathion, Mandipropamid, Mefenpyr Diethyl, Mepanipyrim, Mephospholan, Metalaxyl M, Metamitron, Metconazole, Methiocarb Sulfone, Methiocarb sulfoxide, ethoxyfenozide, Norflurazon, Omethoate, Oxamyl, Oxycarboxin, Pethoxamid, Phosmet, Phosphamidon, Picoxystrobin, Pirimicarb, Prochloraz, Prometryn, Propanil, Propaquizafop, Propargite, Propazine, Propiconazole, Prosulfocarb, Pyraclostrobin, Pyraflufen Ethyl, Pyridaphenthion, Quiazalofop Ethyl, Rotenone, Spirotetramat, Tebufenozide, Tebuthiuron, Terbufos sulfone, Terbufos sulfoxide, Terbumeton, Terbutylazine, Terbutryn, Tetraconazole, Tolyfluanid, Tralkoxydim, Trifloxystrobin, Triflumizole, Zoxamide.

The QC Manager
Dr. Pasias Ioannis

The Lab Manager
MSc. Kalomoira Raptopoulou

The reprint of the report analysis is forbidden.

The parameters were determined by an accredited laboratory, under the requirements of ISO 17025.